

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/677,082	09/30/2003	Peter J. Barry	884.A79US1	4058	
21186 SCHWEGMA	7590 11/26/200 N LUNDRERG & WO	EXAMINER			
SCHWEGMAN, LUNDBERG & WOESSNER, P.A. P.O. BOX 2938			ALROBAYE, IDRISŠ N		
MINNEAPOL	IS, MN 55402		ART UNIT PAPER NUMBER		
		·	2183		
			MAIL DATE	DELIVERY MODE	
			11/26/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

,		Application No.	Applicant(s)					
Office Action Summary		10/677,082	BARRY, PETER	J				
		Examiner	Art Unit					
		Idriss N. Alrobaye	2183					
The MAILING Period for Reply	DATE of this communication app	ears on the cover sheet with th	ne correspondence ac	Idress				
WHICHEVER IS LON - Extensions of time may be after SIX (6) MONTHS from - If NO period for reply is spe - Failure to reply within the se Any reply received by the C	NOTION PERIOD FOR REPLY NGER, FROM THE MAILING DA available under the provisions of 37 CFR 1.13 in the mailing date of this communication. In the maximum statutory period we at or extended period for reply will, by statute, office later than three months after the mailing nent. See 37 CFR 1.704(b).	TE OF THIS COMMUNICAT 6(a). In no event, however, may a reply t ill apply and will expire SIX (6) MONTHS cause the application to become ABAND	ION. De timely filed from the mailing date of this of the content					
Status								
1) Responsive to	Responsive to communication(s) filed on <u>30 September 2003</u> .							
2a) ☐ This action is F	his action is FINAL. 2b)⊠ This action is non-final.							
3) Since this appl	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accor	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
4)⊠ Claim(s) <u>1-25</u> is/are pending in the application.								
4a) Of the abov	4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s)	5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-25</u> i	S)⊠ Claim(s) <u>1-25</u> is/are rejected.							
7) Claim(s)	Claim(s) is/are objected to.							
8) Claim(s)	8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers								
9)☐ The specification	n is objected to by the Examine	r.						
10)⊠ The drawing(s) filed on <u>30 September 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.								
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or dec	claration is objected to by the Ex	aminer. Note the attached Of	fice Action or form P	TO-152.				
Priority under 35 U.S.C	. § 119							
a) All b) So 1. Certified 2. Certified 3. Copies of applications.	nt is made of a claim for foreign me * c) None of: copies of the priority documents copies of the priority documents of the certified copies of the prior on from the International Bureaud detailed Office action for a list	s have been received. s have been received in Appli ity documents have been rec (PCT Rule 17.2(a)).	cation No eived in this National	l Stage				
	Patent Drawing Review (PTO-948) statement(s) (PTO/SB/08)	4) Interview Sumr Paper No(s)/Ma 5) Notice of Inform 6) Other:	ail Date					

Art Unit: 2183

DETAILED ACTION

1. This action is responsive to communications through the applicant's application filed on 9/30/2003.

2. Claims 1-25 presented for examination.

Claim Rejections - 35 USC § 101

3. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

- 4. Claims 18-25 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.
- 5. As per claims 18-25, the claims recite "a machine-readable medium". Page 7, first paragraph of the specification provides intrinsic evidence that applicant's clear intent is that the broadest reasonable interpretation the claim term "machine readable media" is that the term is to encompass propagated signals. Propagated signals are a form of energy. Energy is not one of the four categories of invention and therefore the claims are not statutory. Energy is not a series of steps or acts and thus is not a process. Energy is not a physical article or object and as such is not a machine or manufacture. Energy is not a combination of substances and therefore is not a composition of matter. Accordingly, the rejection of claims 18-25 are non-statutory.

Art Unit: 2183

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1-25 are rejected under 35 U.S.C. 102(b) as being anticipated by Baror et al. U.S. Patent No. 5,438,670 (hereinafter Baror).
- As per claim 1, Baror teaches a method comprising:
 commencing execution of a first set of one or more write instructions (Baror,
 abstract and col. 3, lines 30-46),

wherein the write instructions of the first set are the width of a processor data bus (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26; see also table 1);

aborting the execution of the first set of write instructions (Baror, col. 18, line 46 to col. 19, line, 'abort trap');

creating a second set of one or more write instructions, in response to the aborting, wherein the write instructions of the second set are the width of an expansion bus (Baror, col. 21 line 57 to col. 22, line 26; see also col. 27 lines 40-48; col. 18 line 46 to col. 19, line 4); and

executing the second set of write instructions (Baror, col. 21 line 57 to col. 22, line 26; see also table 1).

Art Unit: 2183

9. As per claim 2, Baror further teaches the method of claim 1, wherein the width of the processor bus is 32 bits (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).

- 10. As per claim 3, Baror further teaches the method of claim 1, wherein the width of the expansion bus is 16 bits (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).
- 11. As per claim 4, Baror further teaches the method of claim 1, wherein the second set of write instructions are suitable for transmission over the expansion bus (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).
- 12. As per claim 5, Baror teaches a method comprising:

executing a write instruction that writes to a virtual memory address (Baror, abstract and col. 3, lines 30-46);

translating the virtual memory address (Baror, abstract and col. 3, lines 26-46), wherein translating includes determining whether the virtual memory address maps to an inaccessible physical memory address (Baror, col. 18, line 46 to col. 19, lines 4);

generating an abort indication after determining that the virtual memory address maps to an inaccessible physical memory address (Baror, col. 18, line 46 to col. 19, line, 'abort trap');

Application/Control Number: 10/677,082

Art Unit: 2183

performing the following in response to the abort indication, creating multiple write instructions suited for transmission over an expansion bus (Baror, col. 21 line 57 to col. 22, line 26); and

executing the multiple write instructions (Baror, col. 21 line 57 to col. 22, line 26).

- 13. As per claim 6, Baror further teaches the method of claim 5, wherein the expansion bus is 16 bit wide (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).
- 14. As per claim 7, Baror further teaches the method of claim 6, wherein the write instruction is a 32-bit write instruction (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).
- 15. As per claim 8, Baror further teaches the method of claim 6, wherein the write instruction is wider than the expansion bus (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 53).
- 16. As per claim 9, Baror teaches an apparatus comprising:

a memory management unit to receive a virtual address, the memory management unit to determine whether the virtual address maps to an inaccessible physical address and to transmit an abort indication if the virtual address maps to an inaccessible address (Baror, col. 18, line 46 to col. 19, line 4, 'MMU'); and

Art Unit: 2183

a processor core (Fig. 2) to receive the abort indication from the memory management unit and to execute instructions (Baror, col. 18, line 46 to col. 19, lines 4; see also, Fig. 3), the processor core including an abort handler to create new instructions in response to receipt of the abort indication (Baror, col. 27, lines 40-48; col. 18, line 46 to col. 19, line 4; col. 32, line 66 to col. 33, line 5), wherein the new instructions are the width of an expansion bus (Baror, col. 35, lines 1-2; col. 18, line 46 to col. 19, line 4; col. 21 line 57 to col. 22, line 26).

- 17. As per claim 10, Baror further teaches the apparatus of claim 9, wherein a physical address is inaccessible if it is write-protected (Baror, col. 18, line 46 to col. 19, lines 4).
- 18. As per claim 11, Baror further teaches the apparatus of claim 9 further comprising: an external expansion device communicatively coupled to the processor core, the external expansion device to receive the new instructions over the expansion bus (Fig. 2, and 3 and col. 18, line 46 to col. 19, lines 4; see also abstract).
- 19. As per claim 12, Baror further teaches the apparatus of claim 11, wherein the expansion bus is 16 bits wide (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).

Application/Control Number: 10/677,082

Art Unit: 2183

20. As per claim 13, Baror further teaches the apparatus of claim 9, wherein instructions are 32-bit instructions (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).

21. As per claim 14, Baror teaches a system comprising:

a processor (Fig. 2), the processor including, processor core to receive an abort indication (Baror, col. 18, line 46 to col. 19, lines 4; see also, Fig. 3),

wherein the processor core includes an abort handler to create new write instructions suited for transmission over an expansion bus (Baror, col. 27, lines 40-48; col. 18, line 46 to col. 19, line 4; col. 32, line 66 to col. 33, line 5); and

a memory management unit (MMU) coupled to the processor core by a processor data bus (Baror, abstract and Fig. 3), the MMU to determine whether a virtual memory address maps to an accessible physical memory address (Baror, col. 18, line 46 to col. 19, line 4, 'MMU'), the MMU to transmit the abort indication to the processor core if the virtual memory address does not map to an accessible physical memory address (Baror, col. 18, line 46 to col. 19, line 4); an

external expansion device to receive the new write instructions from the processor over the expansion bus (Fig. 2, and 3 and col. 18, line 46 to col. 19, lines 4; see also abstract); and a dynamic random access memory (DRAM) unit coupled to the processor, wherein the DRAM unit is to store data accessible by the processor (Baror, Fig. 1, element 25 and col. 5, lines 13-24).

Art Unit: 2183

22. As per claim 15, Baror further teaches the system of claim 14, wherein the expansion bus is half the width of the processor data bus (Baror, col. 5, Table 1 and col. 21 line 57 to col. 22, line 26).

- 23. As per claim 16, Baror further teaches the system of claim 14, wherein the abort indication includes the virtual memory address (Baror, col. 18, line 46 to col. 19, lines 4 and abstract).
- 24. As per claim 17, Baror further teaches the system of claim 14, wherein the external expansion device is a flash memory device (Baror, Fig. 1, element 25 and col. 5, lines 13-24; see also abstract).
- 25. As per claims 18-21, they are rejected for the same reasons set forth above in claims 1-4.
- 26. As per claims 22-25, they are rejected for the same reasons set forth above in claims 5-8.

Conclusion

27. The following is text cited from 37 CFR 1.111(c): In amending reply to a rejection of claims in an application or patent under reexamination, the applicant or patent owner must clearly point out the patentable novelty which he or she thinks the claims present

Application/Control Number: 10/677,082

Art Unit: 2183

in view of the state of the art disclosed by the references cited or the objections made.

The applicant or patent owner must also show how the amendments avoid such references or objections.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- U.S. Patent Application Publication No. 2004/0225840 shows method to provide multithreaded computer processing
- U.S. Patent No. 6,622,272 shows method for interfacing with external device.
- U.S. Patent No. 6,604,163 shows method for interconnection of digital signal processing with program memory and external devices using a shared bus interface.
- See also attached PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Idriss N. Alrobaye whose telephone number is 571-270-1023. The examiner can normally be reached on Mon-Fri from 8:00 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on 571-272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2183

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

IA

RICHARD L. ELLIS PRIMARY EXAMINER